

サンカリット 調色可否一覧表

GLASS FIBER WALL
サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM－5812（1）		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
N-95	N-9.5	×	×	○（N-95近似）
N-93	N-9.3	○（N-93近似）	×	○
N-90	N-9.0	○	×	○
N-87	N-8.7	○	×	○
N-85	N-8.5	○	×	○
N-82	N-8.2	○	×	○
N-80	N-8.0	○	×	○
N-77	N-7.7	○	×	○
N-75	N-7.5	○	×	○
N-72	N-7.2	○	×	○
N-70	N-7.0	○	×	○
N-67	N-6.7	○	×	○
N-65	N-6.5	×	○	○
N-60	N-6.0	×	○	○
N-55	N-5.5	×	○	×
N-50	N-5.0	×	○	×
N-45	N-4.5	×	×	×
N-40	N-4.0	×	×	×
N-35	N-3.5	×	×	×
N-30	N-3.0	×	×	×
N-25	N-2.5	×	×	×
N-20	N-2.0	×	×	×
N-15	N-1.5	×	×	×
N-10	N-1.0	×	×	×
02-90D	2.5R9/2	○	×	○
02-80H	2.5R8/4	○	×	○
02-70T	2.5R7/10	×	×	×
02-60H	2.5R6/4	×	○	×
02-50H	2.5R5/4	×	×	×
02-80L	2.5R8/6	×	×	×
05-80L	5R8/6	×	○	×
05-70L	5R7/6	×	○	×
05-60L	5R6/6	×	○	×
05-60F	5R6/3	×	○	○
05-50F	5R5/3	×	○	×
05-40F	5R4/3	×	×	×
05-30D	5R3/2	×	×	×
05-20B	5R2/1	×	×	×
05-90A	5R9/0.5	○	×	○
05-85A	5R8.5/0.5	○	×	○
05-80A	5R8/0.5	○	×	○

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相

× = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
05-75A	5R7.5/0.5	○	×	○
05-70A	5R7/0.5	○	×	○
05-60B	5R6/1	×	○	○
05-50B	5R5/1	×	○	×
05-40B	5R4/1	×	×	×
05-30B	5R3/1	×	×	×
05-92B	5R9.2/1	○	×	○
05-90B	5R9/1	○	×	○
05-85B	5R8.5/1	○	×	○
05-80B	5R8/1	○	×	○
05-75B	5R7.5/1	○	×	○
05-70B	5R7/1	○	×	○
05-70D	5R7/2	○	×	○
05-60D	5R6/2	×	○	○
05-50D	5R5/2	×	○	×
05-40D	5R4/2	×	×	×
05-30D	5R3/2	×	×	×
05-90D	5R9/2	○	×	○
05-80L	5R8/6	×	×	×
05-80D	5R8/2	○	×	○
05-70L	5R7/6	×	○	×
05-60L	5R6/6	×	×	×
07-90D	7.5R9/2	○	×	○
07-80H	7.5R8/4	○	×	○
07-70L	7.5R7/6	×	○	×
07-70F	7.5R7/3	×	○	○
07-60H	7.5R6/4	×	○	×
07-50L	7.5R5/6	×	×	×
07-40P	7.5R4/8	×	×	×
07-30L	7.5R3/6	×	×	×
07-30F	7.5R3/3	×	×	×
07-20H	7.5R2/4	×	×	×
09-90D	10R9/2	○	×	○
09-80D	10R8/2	○	×	○
09-70D	10R7/2	×	○	○
09-60B	10R6/1	×	○	○
09-60D	10R6/2	×	○	×
09-50F	10R5/3	×	○	×
09-40H	10R4/4	×	×	×
09-30H	10R3/4	×	×	×
09-30F	10R3/3	×	×	×

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
09-30D	10R3/2	×	×	×
09-20B	10R2/1	×	×	×
09-80F	10R8/3	○	×	○
09-70T	10R7/10	×	×	×
09-70H	10R7/4	×	○	○
09-60H	10R6/4	×	○	×
09-60L	10R6/6	×	×	×
09-50T	10R5/10	×	×	×
09-50L	10R5/6	×	×	×
09-40L	10R4/6	×	×	×
09-30L	10R3/6	×	×	×
09-30H	10R3/4	×	×	×
09-30F	10R3/3	×	×	×
09-20D	10R2/2	×	×	×
12-90D	2.5YR9/2	○	×	○
12-80F	2.5YR8/3	○	×	○
12-80H	2.5YR8/4	×	○	○
12-70L	2.5YR7/6	×	○	×
12-70D	2.5YR7/2	×	○	○
12-70T	2.5YR7/10	×	×	×
12-50L	2.5YR5/6	×	×	×
12-50H	2.5YR5/4	×	×	×
12-30H	2.5YR3/4	×	×	×
15-40H	5YR4/4	×	×	×
15-40P	5YR4/8	×	×	×
15-30F	5YR3/3	×	×	×
15-30D	5YR3/2	×	×	×
15-90A	5YR9/0.5	○	×	○
15-85A	5YR8.5/0.5	○	×	○
15-80A	5YR8/0.5	○	×	○
15-75A	5YR7.5/0.5	○	×	○
15-70A	5YR7/0.5	○	×	○
15-65A	5YR6.5/0.5	×	○	○
15-60A	5YR6/0.5	×	×	×
15-30B	5YR3/1	×	×	×
15-20B	5YR2/1	×	×	×
15-92B	5YR9.2/1	○	×	○
15-90B	5YR9/1	○	×	○
15-85B	5YR8.5/1	○	×	○
15-80B	5YR8/1	○	×	○
15-75B	5YR7.5/1	○	×	○

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相

× = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
15-70B	5YR7/1	○	×	○
15-65B	5YR6.5/1	×	○	○
15-60B	5YR6/1	×	○	×
15-50B	5YR5/1	×	○	×
15-40B	5YR4/1	×	×	×
15-90D	5YR9/2	○	×	○
15-80D	5YR8/2	○	×	○
15-70D	5YR7/2	×	○	○
15-60D	5YR6/2	×	○	×
15-60F	5YR6/3	×	○	×
15-50F	5YR5/3	×	×	×
15-50D	5YR5/2	×	○	×
15-40D	5YR4/2	×	×	×
15-30D	5YR3/2	×	×	×
15-80F	5YR8/3	○	×	○
15-80L	5YR8/6	×	○	×
15-70H	5YR7/4	×	○	×
15-70F	5YR7/3	×	○	○
17-70F	7.5YR7/3	×	○	×
17-60F	7.5YR6/3	×	○	×
17-50F	7.5YR5/3	×	×	×
17-40H	7.5YR4/4	×	×	×
17-30F	7.5YR3/3	×	×	×
17-90A	7.5YR9/0.5	○	×	○
17-80A	7.5YR8/0.5	○	×	○
17-80B	7.5YR8/1	○	×	○
17-80C	7.5YR8/1.5	○	×	○
17-70B	7.5YR7/1	○	×	○
17-70C	7.5YR7/1.5	×	○	○
17-60B	7.5YR6/1	×	○	×
17-60C	7.5YR6/1.5	×	○	×
17-60D	7.5YR6/2	×	○	×
17-50D	7.5YR5/2	×	×	×
17-40D	7.5YR4/2	×	×	×
17-90B	7.5YR9/1	○	×	○
17-90D	7.5YR9/2	○	×	○
17-80D	7.5YR8/2	○	×	○
17-80F	7.5YR8/3	○	×	○
17-80H	7.5YR8/4	×	○	○
17-70D	7.5YR7/2	×	○	○
17-70L	7.5YR7/6	×	×	×

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
17-70P	7.5YR7/8	×	×	×
17-70H	7.5YR7/4	×	○	×
17-60F	7.5YR6/3	×	○	×
17-60H	7.5YR6/4	×	×	×
17-50L	7.5YR5/6	×	×	×
17-50P	7.5YR5/8	×	×	×
19-70H	10YR7/4	×	○	×
19-70L	10YR7/6	×	×	×
19-60H	10YR6/4	×	×	×
19-60T	10YR6/10	×	×	×
19-50H	10YR5/4	×	×	×
19-40H	10YR4/4	×	×	×
19-40L	10YR4/6	×	×	×
19-30D	10YR3/2	×	×	×
19-90A	10YR9/0.5	○	×	○
19-85A	10YR8.5/0.5	○	×	○
19-85L	10YR8.5/6	×	○ (近似)	×
19-80A	10YR8/0.5	○	×	○
19-75A	10YR7.5/0.5	○	×	○
19-70A	10YR7/0.5	○	×	○
19-65A	10YR6.5/0.5	×	○	○
19-60A	10YR6/0.5	×	○	×
19-50A	10YR5/0.5	×	○	×
19-30A	10YR3/0.5	×	×	×
19-92B	10YR9.2/1	○	×	○
19-90B	10YR9/1	○	×	○
19-85B	10YR8.5/1	○	×	○
19-80B	10YR8/1	○	×	○
19-75B	10YR7.5/1	○	×	○
19-70B	10YR7/1	×	○	○
19-65B	10YR6.5/1	×	○	○
19-60B	10YR6/1	×	○	×
19-50B	10YR5/1	×	○	×
19-90C	10YR9/1.5	○	×	○
19-85C	10YR8.5/1.5	○	×	○
19-80C	10YR8/1.5	○	×	○
19-75C	10YR7.5/1.5	○	×	○
19-70C	10YR7/1.5	×	○	○
19-65C	10YR6.5/1.5	×	○	×
19-60C	10YR6/1.5	×	○	×
19-40B	10YR4/1	×	×	×

サンカリット 調色可否一覧表

GLASS FIBER WALL
サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM－5812（1）		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
19-40L	10YR4/6	×	×	×
19-20B	10YR2/1	×	×	×
19-90D	10YR9/2	○	×	○
19-85D	10YR8.5/2	○	×	○
19-80D	10YR8/2	○	×	○
19-75D	10YR7.5/2	○	×	○
19-70D	10YR7/2	×	○	○
19-65D	10YR6.5/2	×	○	×
19-60D	10YR6/2	×	○	×
19-50D	10YR5/2	×	×	×
19-40D	10YR4/2	×	×	×
19-90F	10YR9/3	×	×	×
19-85F	10YR8.5/3	○	×	○
19-80F	10YR8/3	○	×	○
19-75F	10YR7.5/3	×	○	○
19-70F	10YR7/3	×	○	×
19-70H	10YR7/4	×	○	×
19-60F	10YR6/3	×	○	×
19-50F	10YR5/3	×	×	×
19-40F	10YR4/3	×	×	×
19-30B	10YR3/1	×	×	×
19-80L	10YR8/6	×	○	×
19-75L	10YR7.5/6	×	○	×
21-85L	1.25Y8.5/6	×	×	×
21-80F	1.25Y8/3	×	○	○
21-70F	1.25Y7/3	×	○	×
21-70H	1.25Y7/4	×	○	×
21-60F	1.25Y6/3	×	×	×
21-60H	1.25Y6/4	×	×	×
21-40H	1.25Y4/4	×	×	×
21-90B	1.25Y9/1	○	×	○
21-85B	1.25Y8.5/1	○	×	○
21-80B	1.25Y8/1	○	×	○
21-80D	1.25Y8/2	○	×	○
21-75B	1.25Y7.5/1	○	×	○
21-75D	1.25Y7.5/2	×	○	○
21-70D	1.25Y7/2	×	○	○
21-60D	1.25Y6/2	×	○	×
21-50D	1.25Y5/2	×	×	×
22-90A	2.5Y9/0.5	○	×	○
22-85A	2.5Y8.5/0.5	○	×	○

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相

× = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
22-80A	2.5Y8/0.5	○	×	○
22-75A	2.5Y7.5/0.5	○	×	○
22-70A	2.5Y7/0.5	○	×	○
22-65A	2.5Y6.5/0.5	×	○	○
22-50B	2.5Y5/1	×	×	×
22-40B	2.5Y4/1	×	×	×
22-30B	2.5Y3/1	×	×	×
22-90B	2.5Y9/1	○	×	○
22-85B	2.5Y8.5/1	○	×	○
22-80B	2.5Y8/1	○	×	○
22-75B	2.5Y7.5/1	○	×	○
22-70B	2.5Y7/1	○	×	○
22-65B	2.5Y6.5/1	×	○	○
22-60B	2.5Y6/1	×	○	×
22-40D	2.5Y4/2	×	×	×
22-30D	2.5Y3/2	×	×	×
22-90C	2.5Y9/1.5	○	×	○
22-87C	2.5Y8.7/1.5	○	×	○
22-85C	2.5Y8.5/1.5	○	×	○
22-80C	2.5Y8/1.5	○	×	○
22-75C	2.5Y7.5/1.5	○	×	○
22-70C	2.5Y7/1.5	×	○	○
22-65C	2.5Y6.5/1.5	×	○	×
22-60C	2.5Y6/1.5	×	○	×
22-60D	2.5Y6/2	×	○	×
22-50D	2.5Y5/2	×	×	×
22-40D	2.5Y4/2	×	×	×
22-90D	2.5Y9/2	○	×	○
22-85D	2.5Y8.5/2	○	×	○
22-85F	2.5Y8.5/3	○	×	○
22-80F	2.5Y8/3	×	○	○
22-80D	2.5Y8/2	○	×	○
22-75D	2.5Y7.5/2	○	×	○
22-70D	2.5Y7/2	×	○	×
22-60D	2.5Y6/2	×	○	×
22-50F	2.5Y5/3	×	×	×
22-90H	2.5Y9/4	×	○ (近似)	○
22-85H	2.5Y8.5/4	×	○	○
22-80H	2.5Y8/4	×	○	×
22-80L	2.5Y8/6	×	○	×
22-75F	2.5Y7.5/3	×	○	○

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相

× = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
22-70H	2.5Y7/4	×	○	×
22-70L	2.5Y7/6	×	×	×
25-70T	5Y7/10	×	×	×
22-50P	2.5Y5/8	×	×	×
22-50H	2.5Y5/4	×	×	×
22-40H	2.5Y4/4	×	×	×
25-90A	5Y9/0.5	○	×	○
25-85A	5Y8.5/0.5	○	×	○
25-80A	5Y8/0.5	○	×	○
25-75A	5Y7.5/0.5	○	×	○
25-70A	5Y7/0.5	○	×	○
25-65A	5Y6.5/0.5	×	○	○
25-60A	5Y6/0.5	×	○	×
25-50A	5Y5/0.5	×	○	×
25-40B	5Y4/1	×	×	×
25-92B	5Y9.2/1	○	×	○
25-90B	5Y9/1	○	×	○
25-85B	5Y8.5/1	○	×	○
25-80B	5Y8/1	○	×	○
25-75B	5Y7.5/1	○	×	○
25-70B	5Y7/1	×	○	○
25-65B	5Y6.5/1	×	○	○
25-60B	5Y6/1	×	○	×
25-50B	5Y5/1	×	×	×
25-90C	5Y9/1.5	○	×	○
25-85C	5Y8.5/1.5	○	×	○
25-80C	5Y8/1.5	○	×	○
25-75C	5Y7.5/1.5	○	×	○
25-70C	5Y7/1.5	×	○	○
25-70D	5Y7/2	×	○	×
25-60D	5Y6/2	×	○	×
25-50D	5Y5/2	×	×	×
25-30B	5Y3/1	×	×	×
25-30D	5Y3/2	×	×	×
25-90D	5Y9/2	○	×	○
25-85D	5Y8.5/2	○	×	○
25-85F	5Y8.5/3	○	×	○
25-80D	5Y8/2	○	×	○
25-80H	5Y8/4	×	○	×
25-60P	5Y6/8	×	×	×
25-80P	5Y8/8	×	×	×

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
25-70T	5Y7/10	×	×	×
25-70L	5Y7/6	×	×	×
25-40D	5Y4/2	×	×	×
25-40H	5Y4/4	×	×	×
25-20B	5Y2/1	×	×	×
25-90H	5Y9/4	×	○	○
27-90B	7.5Y9/1	○	×	○
27-85H	7.5Y8.5/4	×	○	×
27-70D	7.5Y7/2	×	○	×
27-50D	7.5Y5/2	×	×	×
27-90P	7.5Y9/8	×	×	×
27-90F	7.5Y9/3	○	×	○
27-70L	7.5Y7/6	×	×	×
27-60F	7.5Y6/3	×	×	×
27-60L	7.5Y6/6	×	×	×
27-50H	7.5Y5/4	×	×	×
27-30B	7.5Y3/1	×	×	×
27-85B	7.5Y8.5/1	○	×	○
27-80B	7.5Y8/1	○	×	○
27-60D	7.5Y6/2	×	○	×
29-80H	10Y8/4	×	○	×
29-60H	10Y6/4	×	×	×
29-60D	10Y6/2	×	○	×
29-40H	10Y4/4	×	×	×
29-92B	10Y9.2/1	○	×	○
29-90B	10Y9/1	○	×	○
29-85B	10Y8.5/1	○	×	○
29-80B	10Y8/1	○	×	○
29-70B	10Y7/1	×	○	○
29-90H	10Y9/4	×	○	○
29-85P	10Y8.5/8	×	×	×
29-70T	10Y7/10	×	×	×
29-50D	10Y5/2	×	×	×
32-90D	2.5GY9/2	×	○	○
32-80D	2.5GY8/2	○	×	○
32-50L	2.5GY5/6	×	×	×
35-70G	5GY7/3.5	×	○	×
32-80P	2.5GY8/8	×	×	×
32-60H	2.5GY6/4	×	×	×
35-80T	5GY8/10	×	×	×
35-70H	5GY7/4	×	○	×

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相

× = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
35-50H	5GY5/4	×	×	×
35-90A	5GY9/0.5	○	×	○
35-85A	5GY8.5/0.5	○	×	○
35-80A	5GY8/0.5	○	×	○
35-75A	5GY7.5/0.5	○	×	○
35-70A	5GY7/0.5	○	×	○
35-65A	5GY6.5/0.5	×	○	○
35-60B	5GY6/1	×	○	×
35-40B	5GY4/1	×	×	×
35-30B	5GY3/1	×	×	×
35-20B	5GY2/1	×	×	×
35-92B	5GY9.2/1	○	×	○
35-90B	5GY9/1	○	×	○
35-85B	5GY8.5/1	○	×	○
35-80B	5GY8/1	○	×	○
35-70B	5GY7/1	×	○	○
35-50B	5GY5/1	×	○	×
35-70D	5GY7/2	×	○	×
35-60D	5GY6/2	×	○	×
35-50D	5GY5/2	×	×	×
35-40D	5GY4/2	×	×	×
35-30D	5GY3/2	×	×	×
35-90D	5GY9/2	○	×	○
35-80D	5GY8/2	○	×	○
35-80H	5GY8/4	×	○	×
37-90D	7.5GY9/2	○	×	○
37-80D	7.5GY8/2	○	×	○
37-60D	7.5GY6/2	×	○	×
37-80H	7.5GY8/4	×	○ (近似)	×
37-80L	7.5GY8/6	×	×	×
37-50L	7.5GY5/6	×	×	×
37-50H	7.5GY5/4	×	×	×
39-60L	10GY6/6	×	×	×
39-50H	10GY5/4	×	×	×
39-40L	10GY4/6	×	×	×
39-40P	10GY4/8	×	×	×
39-80B	10GY8/1	○	×	○
39-80D	10GY8/2	○	×	○
39-80H	10GY8/4	×	○	×
39-70H	10GY7/4	×	○	×
39-60D	10GY6/2	×	○	×

サンカリット 調色可否一覧表

GLASS FIBER WALL
サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM－5812（1）		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
39-40H	10GY4/4	×	×	×
42-70H	2.5G7/4	×	○	×
42-50L	2.5G5/6	×	×	×
42-40P	2.5G4/8	×	×	×
42-30L	2.5G3/6	×	×	×
42-30H	2.5G3/4	×	×	×
42-90D	2.5G9/2	×	×	○
42-80D	2.5G8/2	○	×	○
42-70D	2.5G7/2	×	○	○
45-90D	5G9/2	×	×	×
45-80D	5G8/2	○	×	○
45-70D	5G7/2	×	○	○
45-60D	5G6/2	×	○	×
45-50D	5G5/2	×	×	×
45-40D	5G4/2	×	×	×
45-30D	5G3/2	×	×	×
45-20D	5G2/2	×	×	×
45-90A	5G9/0.5	○	×	○
45-85A	5G8.5/0.5	○	×	○
45-80A	5G8/0.5	○	×	○
45-75A	5G7.5/0.5	○	×	○
45-70A	5G7/0.5	○	×	○
45-65A	5G6.5/0.5	×	○	○
45-70F	5G7/3	×	○	×
45-70H	5G7/4	×	○	×
45-60L	5G6/6	×	○	×
45-60H	5G6/4	×	○	×
45-50H	5G5/4	×	×	×
45-30L	5G3/6	×	×	×
45-92B	5G9.2/1	○	×	○
45-90B	5G9/1	○	×	○
45-85B	5G8.5/1	○	×	○
45-80B	5G8/1	○	×	○
45-70B	5G7/1	○	×	○
45-60B	5G6/1	×	○	×
45-50B	5G5/1	×	○	×
45-40B	5G4/1	×	×	×
45-30B	5G3/1	×	×	×
45-30L	5G3/6	×	×	×
45-20B	5G2/1	×	×	×
45-80H	5G8/4	×	○	○

サンカリット 調色可否一覧表

GLASS FIBER WALL
サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM－5812（1）		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
45-70P	5G7/8	×	○	×
45-40P	5G4/8	×	×	×
49-70B	10G7/1	○	×	○
49-80H	10G8/4	×	○	○
49-70H	10G7/4	×	○	○
49-60P	10G6/8	×	○	×
49-30L	10G3/6	×	×	×
49-20H	10G2/4	×	×	×
52-90D	2.5BG9/2	×	○	×
52-70D	2.5BG7/2	○	×	○
52-60H	2.5BG6/4	×	○（近似）	×
52-60L	2.5BG6/6	×	×	×
52-50L	2.5BG5/6	×	×	×
52-40L	2.5BG4/6	×	×	×
55-50H	5BG5/4	×	○	×
55-30L	5BG3/6	×	×	×
55-90A	5BG9/0.5	○	×	○
55-90B	5BG9/1	○	×	○
55-85A	5BG8.5/0.5	○	×	○
55-85B	5BG8.5/1	○	×	○
55-80A	5BG8/0.5	○	×	○
55-80B	5BG8/1	○	×	○
55-75A	5BG7.5/0.5	○	×	○
55-70A	5BG7/0.5	○	×	○
55-70B	5BG7/1	○	×	○
55-60B	5BG6/1	×	○	○
55-50B	5BG5/1	×	○	×
55-90D	5BG9/2	×	×	×
55-80D	5BG8/2	○	×	○
55-70D	5BG7/2	○	×	○
55-70F	5BG7/3	×	×	×
55-60D	5BG6/2	×	○	×
55-50D	5BG5/2	×	○	×
55-40D	5BG4/2	×	×	×
55-30D	5BG3/2	×	×	×
55-40B	5BG4/1	×	×	×
55-30B	5BG3/1	×	×	×
55-20B	5BG2/1	×	×	×
55-20D	5BG2/2	×	×	×
55-80H	5BG8/4	×	○	○
55-70H	5BG7/4	×	○	○

サンカリット 調色可否一覧表

GLASS FIBER WALL
サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM－5812（1）		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
57-90D	7.5BG9/2	×	×	○
57-80D	7.5BG8/2	○	×	○
57-70D	7.5BG7/2	○	×	○
57-70H	7.5BG7/4	×	○	○
57-50H	7.5BG5/4	×	○	×
57-60C	7.5BG6/1.5	×	○	○
59-80B	10BG8/1	○	×	○
59-80D	10BG8/2	○	×	○
59-70F	10BG7/3	×	×	×
59-70L	10BG7/6	×	○	×
59-60H	10BG6/4	×	○	×
59-40P	10BG4/8	×	×	×
59-30H	10BG3/4	×	×	×
62-80H	2.5B8/4	○	×	○
62-70H	2.5B7/4	○	×	○
62-60D	2.5B6/2	×	○	○
62-50H	2.5B5/4	×	○	×
62-60H	2.5B6/4	×	○	×
62-60L	2.5B6/6	×	○	×
65-70F	5B7/3	×	×	×
65-70H	5B7/4	○	×	○
65-70L	5B7/6	○	×	○
65-40L	5B4/6	×	×	×
65-40H	5B4/4	×	×	×
65-30D	5B3/2	×	×	×
65-20H	5B2/4	×	×	×
65-90B	5B9/1	○	×	○
65-90A	5B9/0.5	○	×	○
65-85A	5B8.5/0.5	○	×	○
65-80A	5B8/0.5	○	×	○
65-75A	5B7.5/0.5	○	×	○
65-70A	5B7/0.5	○	×	○
65-65A	5B6.5/0.5	○	×	○
65-60A	5B6/0.5	×	○	○
65-50A	5B5/0.5	×	○	×
65-40B	5B4/1	×	×	×
65-20D	5B2/2	×	×	×
65-20B	5B2/1	×	×	×
65-20L	5B2/6	×	×	×
65-85B	5B8.5/1	○	×	○
65-80B	5B8/1	○	×	○

サンカリット 調色可否一覧表

GLASS FIBER WALL
サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM－5812（1）		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
65-70B	5B7/1	○	×	○
65-70D	5B7/2	○	×	○
65-60D	5B6/2	×	○	○
65-60B	5B6/1	×	○	○
65-50B	5B5/1	×	○	×
65-30B	5B3/1	×	×	×
65-50D	5B5/2	×	○	×
65-40D	5B4/2	×	×	×
65-90D	5B9/2	○	×	○
65-80D	5B8/2	○	×	○
65-80H	5B8/4	○	×	○
67-80H	7.5B8/4	○	×	○
67-70L	7.5B7/6	○	×	○
69-70L	10B7/6	○	×	○
69-70P	10B7/8	×	×	○
69-60L	10B6/6	×	○	○
69-50H	10B5/4	×	○	×
69-80D	10B8/2	○	×	○
69-80B	10B8/1	○	×	○
69-80H	10B8/4	○	×	○
69-70F	10B7/3	×	○	×
69-50D	10B5/2	×	○	○
69-40D	10B4/2	×	×	×
69-60T	10B6/10	×	○	×
69-60H	10B6/4	×	○	○
72-80H	2.5PB8/4	○	×	○
72-50L	2.5PB5/6	×	○	×
72-50P	2.5PB5/8	×	○	×
72-30H	2.5PB3/4	×	×	×
72-80D	2.5PB8/2	○	×	○
72-70D	2.5PB7/2	○	×	○
72-70L	2.5PB7/6	○	×	○
72-60D	2.5PB6/2	○	×	○
72-60H	2.5PB6/4	×	○	○
75-50H	5PB5/4	×	○	×
75-40L	5PB4/6	×	×	×
75-30D	5PB3/2	×	×	×
75-20D	5PB2/2	×	×	×
75-20L	5PB2/6	×	×	×
75-90A	5PB9/0.5	○	×	○
75-85A	5PB8.5/0.5	○	×	○

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相

× = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
75-80A	5PB8/0.5	○	×	○
75-75A	5PB7.5/0.5	○	×	○
75-70A	5PB7/0.5	○	×	○
75-60B	5PB6/1	○	×	○
75-50B	5PB5/1	×	○	○
75-50C	5PB5/1.5	×	○	×
75-40B	5PB4/1	×	×	×
75-30B	5PB3/1	×	×	×
75-20B	5PB2/1	×	×	×
75-90B	5PB9/1	○	×	○
75-90D	5PB9/2	○	×	○
75-85B	5PB8.5/1	○	×	○
75-80B	5PB8/1	○	×	○
75-80D	5PB8/2	○	×	○
75-70B	5PB7/1	○	×	○
75-70D	5PB7/2	○	×	○
75-60D	5PB6/2	×	○	○
75-50D	5PB5/2	×	○	×
75-40D	5PB4/2	×	×	×
75-80H	5PB8/4	×	○	○
75-70F	5PB7/3	×	○	×
75-70L	5PB7/6	×	○	○
75-60P	5PB6/8	×	○	×
76-80D	6.25PB8/2	○	×	○
76-80H	6.25PB8/4	○	×	○
76-70L	6.25PB7/6	×	○	×
76-50L	6.25PB5/6	×	○	×
76-40P	6.25PB4/8	×	×	×
77-70D	7.5PB7/2	○	×	○
77-70H	7.5PB7/4	○	×	○
77-60P	7.5PB6/8	×	○	×
77-50L	7.5PB5/6	×	○	×
77-40L	7.5PB4/6	×	×	×
77-20L	7.5PB2/6	×	×	×
79-70L	10PB7/6	×	○	×
82-80D	2.5P8/2	○	×	○
82-50L	2.5P5/6	×	○	×
82-70H	2.5P7/4	×	○	×
82-60H	2.5P6/4	×	○	○
82-50H	2.5P5/4	×	○	×
85-90A	5P9/0.5	○	×	○

サンカリット 調色可否一覧表

GLASS FIBER WALL
サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM－5812（1）		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
85-85A	5P8.5/0.5	○	×	○
85-80A	5P8/0.5	○	×	○
85-75A	5P7.5/0.5	○	×	○
85-70A	5P7/0.5	○	×	○
85-65A	5P6.5/0.5	○	×	○
85-70B	5P7/1	○	×	○
85-60D	5P6/2	×	○	○
85-50B	5P5/1	×	○	×
85-50D	5P5/2	×	○	×
85-40D	5P4/2	×	×	×
85-30D	5P3/2	×	×	×
85-20D	5P2/2	×	×	×
85-92B	5P9.2/1	○	×	○
85-90B	5P9/1	○	×	○
85-85B	5P8.5/1	○	×	○
85-80B	5P8/1	○	×	○
85-80D	5P8/2	○	×	○
85-70D	5P7/2	○	×	○
85-60B	5P6/1	×	○	○
85-60H	5P6/4	×	○	×
85-40B	5P4/1	×	×	×
85-40L	5P4/6	×	×	×
85-30P	5P3/8	×	×	×
85-30H	5P3/4	×	×	×
85-30B	5P3/1	×	×	×
85-30D	5P3/2	×	×	×
85-20B	5P2/1	×	×	×
85-20D	5P2/2	×	×	×
85-90D	5P9/2	○	×	○
85-80H	5P8/4	○	×	○
85-70H	5P7/4	○	×	○
85-70L	5P7/6	×	○	×
85-50P	5P5/8	×	○	×
87-80D	7.5P8/2	○	×	○
87-70D	7.5P7/2	○	×	○
87-70H	7.5P7/4	○	×	○
87-60H	7.5P6/4	×	○	×
87-40H	7.5P4/4	×	×	×
87-30H	7.5P3/4	×	×	×
89-70H	10P7/4	○	×	○
89-60T	10P4/10	×	×	×

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相

× = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
89-30H	10P3/4	×	×	×
92-40L	2.5RP4/6	×	×	×
92-80D	2.5RP8/2	○	×	○
92-80H	2.5RP8/4	○	×	○
92-70L	2.5RP7/6	×	○	○
92-60P	2.5PR6/8	×	○	×
95-30D	5RP3/2	×	×	×
95-20D	5RP2/2	×	×	×
95-90A	5RP9/0.5	○	×	○
95-85A	5RP8.5/0.5	○	×	○
95-80A	5RP8/0.5	○	×	○
95-80B	5RP8/1	○	×	○
95-75A	5RP7.5/0.5	○	×	○
95-70A	5RP7/0.5	○	×	○
95-70B	5RP7/1	○	×	○
95-70D	5RP7/2	○	×	○
95-70H	5RP7/4	○	×	○
95-60P	5RP6/8	×	○	×
95-60D	5RP6/2	×	○	○
95-60B	5RP6/1	×	○	○
95-50B	5RP5/1	×	○	×
95-50D	5RP5/2	×	○	×
95-40B	5RP4/1	×	×	×
95-40D	5RP4/2	×	×	×
95-30B	5RP3/1	×	×	×
95-20B	5RP2/1	×	×	×
95-90B	5RP9/1	○	×	○
95-85B	5RP8.5/1	○	×	○
95-90D	5RP9/2	○	×	○
95-80D	5RP8/2	○	×	○
95-80L	5RP8/6	○	×	○
95-70L	5RP7/6	×	○	○
99-70H	10RP7/4	○	×	○
95-50H	5RP5/4	×	×	×
95-30H	5RP3/4	×	×	×
95-30P	5RP3/8	×	×	×
97-70P	7.5RP7/8	×	○	×
99-70L	10RP7/6	×	○	○
99-80B	10RP8/1	○	×	○
99-70D	10RP7/2	○	×	○
99-60H	10RP6/4	×	○	×

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
99-40H	10RP4/4	×	×	×
99-30P	10RP3/8	×	×	×
05-50V	5R5/12	×	×	×
05-40X	5R4/14	×	×	×
05-40V	5R4/12	×	×	×
05-30T	5R3/10	×	×	×
07-40V	7.5R4/12	×	×	×
07-40X	7.5R4/14	×	×	×
07-60T	7.5R6/10	×	×	×
08-45V	8.75R4.5/12	×	×	×
08-50V	8.75R5/12	×	×	×
09-60V	10R6/12	×	×	×
09-50T	10R5/10	×	×	×
09-50X	10R5/14	×	×	×
12-70T	2.5YR7/10	×	×	×
12-60X	2.5YR6/14	×	×	×
12-50V	2.5YR5/12	×	×	×
15-60V	5YR6/12	×	×	×
15-65X	5YR6.5/14	×	×	×
15-70V	5YR7/12	×	×	×
17-70X	7.5YR7/14	×	×	×
19-75X	10YR7.5/14	×	×	×
19-70V	10YR7/12	×	×	×
19-60T	10YR6/10	×	×	×
21-75X	1.25Y7.5/14	×	×	×
22-70V	2.5Y7/12	×	×	×
22-80V	2.5Y8/12	×	×	×
22-80X	2.5Y8/14	×	×	×
25-80W	5Y8/13	×	×	×
25-85V	5Y8.5/12	×	×	×
25-70T	5Y7/10	×	×	×
27-80V	7.5Y8/12	×	×	×
27-85V	7.5Y8.5/12	×	×	×
27-90P	7.5Y9/8	×	×	×
29-80V	10Y8/12	×	×	×
29-70T	10Y7/10	×	×	×
32-70T	2.5GY7/10	×	×	×
32-80P	2.5GY8/8	×	×	×
35-70V	5GY7/12	×	×	×
35-60T	5GY6/10	×	×	×
37-60T	7.5GY6/10	×	×	×

サンカリット 調色可否一覧表

GLASS FIBER WALL

サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM-5812(1)		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
39-60V	10GY6/12	×	×	×
42-60T	2.5G6/10	×	×	×
42-50T	2.5G5/10	×	×	×
45-50T	5G5/10	×	×	×
45-55T	5G5.5/10	×	×	×
45-40P	5G4/8	×	×	×
46-60T	6.25G6/10	×	×	×
47-60T	7.5G6/10	×	×	×
49-60P	10G6/8	×	○	×
49-40T	10G4/10	×	×	×
52-60T	2.5BG5/8	×	×	×
52-50P	2.5BG5/8	×	×	×
52-40L	2.5BG4/6	×	×	×
55-30L	5BG3/6	×	×	×
55-40P	5BG4/8	×	×	×
55-70P	5BG7/8	×	○	×
55-50P	5BG5/8	×	×	×
55-50P	5BG5/8	×	×	×
59-60P	10BG6/8	×	○	×
59-40P	10BG4/8	×	×	×
65-60P	5B6/8	×		×
65-40P	5B4/8	×	×	×
69-50T	10B5/10	×	○	×
69-40T	10B4/10	×	×	×
69-30P	10B3/8	×	×	×
72-40T	2.5PB4/10	×	×	×
72-45T	2.5PB4.5/10	×	×	×
75-30P	5PB3/8	×	×	×
75-40T	5PB4/10	×	×	×
76-50T	6.25PB5/10	×	○	×
77-40V	7.5PB4/12	×	×	×
77-50T	7.5PB5/10	×	×	×
77-30T	7.5PB3/10	×	×	×
79-40T	10PB4/10	×	×	×
82-40T	2.5P4/10	×	×	×
85-40T	5P4/10	×	×	×
85-30P	5P3/8	×	×	×
89-40T	10P4/10	×	×	×
92-40V	2.5RP4/12	×	×	×
95-40V	5RP4/12	×	×	×
95-50P	5RP5/8	×	×	×

サンカリット 調色可否一覧表

GLASS FIBER WALL
サンウォールヘス

○ = 調色可能な色相 × = 調色不可な色相

色名	マンセル値	調色可否		
		認定番号：NM－5812（1）		
		ツヤなし淡彩	ツヤなし中彩	ツヤあり
95-50V	5RP5/12	×	×	×
97-50V	7.5RP5/12	×	×	×
99-60T	10RP6/10	×	×	×
99-50X	10RP5/14	×	×	×
99-40V	10RP4/12	×	×	×
31-435		×	○	×
36-708		×	○	×